

wavelex)

IP-1




IP-2

IP-11



IP-3




0.54 0.185 Ø0.125 [6.9] [4.7] [Ø3.2](3X) (4) 0.325 [8.3] IN DUT Wavelex P/N:WATO6X D/C:EYYWWJ xxdB, DC-6GHz 1.00 [25.4] 0.80 [20.3] (¢) 0.89 0.40 1.77 [45.1] 0.540 [13.7] 7) Ô (4 Ø0.018 ଲ୍ (ø0.5) ମୁ 0.480 • DUT ΙN Wavelex P/N:WAT06X UNITS: INCH [mm] #2-56 UNC 2B DP: 0.20*,(2X) D/C:[YYWW] xxdB, DC-6GHz 0.08 [2.1] Base Material: Brass. Finish: Gold Plating. RF I/D: SMA field (4 ÷ replaceable

© Wavelex, Inc. All products are available for immediate delivery unless otherwise noted. All specifications are subject to change. Request datasheets and S-parameters at wavelex@richardsonrfpd.com, 630-208-2700, or (toll free) 800-737-6937.




1.1" x 1.0" Switch






0.7" x 0.7" Bias-Ts





0.7" x 0.7" DC Blocks






0.7" x 0.7" Terminators & Loads





SMA F, SMA M



© Wavelex, Inc. All products are available for immediate delivery unless otherwise noted. All specifications are subject to change. Request datasheets and S-parameters at wavelex@richardsonrfpd.com, 630-208-2700, or (toll free) 800-737-6937.

WP-1M